

# A 24 PLUS T-BF

## CHARACTERISTICS

extremely fast cutting, very long service life, resin bonded, very productive

## APPLICATION

hard steel, rail, sheet steel, steel, structural steel, tool steel

## COMPONENTS

aluminium oxide

## SAFETY SIGNS



DIMENSIONS MM	DIMENSIONS INCH	SHAPE	MAX SPEED	MAX RPM
100x3.2x16.0	4 x 1/8 x 5/8		80 m/s	15,300
100x3.2x16.0	4 x 1/8 x 5/8		80 m/s	15,300
115x2.0x22.2	4 x 5/64 x 7/8		80 m/s	15,300
115x2.5x22.2	4 x 1/10 x 7/8		80 m/s	15,300
115x3.2x22.2	4 1/2 x 1/8 x 7/8		80 m/s	13,300
115x3.2x22.2	4 1/2 x 1/8 x 7/8		80 m/s	13,300
125x2.0x22.2	5 x 5/64 x 7/8		80 m/s	13,300
125x2.5x22.2	5 x 1/10 x 7/8		80 m/s	13,300
125x3.2x22.2	5 x 1/8 x 7/8		80 m/s	12,250
125x3.2x22.2	5 x 1/8 x 7/8		80 m/s	12,250
150x2.0x22.2	6 x 5/64 x 7/8		80 m/s	12,250
150x2.5x22.2	6 x 1/10 x 7/8		80 m/s	12,250
150x3.2x22.2	6 x 1/8 x 7/8		80 m/s	10,200
150x3.2x22.2	6 x 1/8 x 7/8		80 m/s	10,200
150x4.0x22.2	6 x 5/23 x 7/8		80 m/s	10,200
180x2.0x22.2	7 x 5/64 x 7/8		80 m/s	10,200
180x2.5x22.2	7 x 1/10 x 7/8		80 m/s	10,200
180x3.2x22.2	7 x 1/8 x 7/8		80 m/s	8,500
180x3.2x22.2	7 x 1/8 x 7/8		80 m/s	8,500
230x1.9x22.2	9 x 1/14 x 7/8		80 m/s	8,500
230x2.0x22.2	9 x 5/64 x 7/8		80 m/s	8,500
230x2.5x22.2	9 x 1/10 x 7/8		80 m/s	8,500
230x3.2x22.2	9 x 1/8 x 7/8		80 m/s	6,650
230x3.2x22.2	9 x 1/8 x 7/8		80 m/s	6,650
300x3.2x22.2	12 x 1/8 x 7/8		100 m/s	6,400
300x3.2x25.4	12 x 1/8 x 1		100 m/s	6,400
300x3.5x25.4	12 x 9/64 x 1		100 m/s	6,400

For more information please scan this code with your QR Code Reader.



**KEDAS**® Professional Technology Development

**THE EXPERTS FOR HIGH QUALITY CUTTING AND GRINDING DISCS**

